

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4451	apply with key and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 11:52
L2	376	"713"/\$.ccls. and apply with key and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 14:55
L3	72	"713"/\$.ccls. and apply with key same algorithm and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 12:02
L4	23	"713"/\$.ccls. and apply with key same algorithm same private and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 13:41
L5	1	("6,715,079").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/13 13:08
L6	44	restore same delet\$5 with code and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 13:43
L7	0	restore same error adj detection and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 13:43
L8	0	error adj detection with code and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 14:27
L9	172	restore same error adj detection and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 13:47
L10	1	("5912972").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/13 14:08
L11	1	("6,715,079").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/13 14:19
L12	1	("5,892,899").PN.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2005/11/13 14:19

L13	378248	download with contemporaneously code and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 14:28
L14	1	download with contemporaneously and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 14:29
L15	353	(download or transfer or transmit or recieve) with contemporaneous\$3 and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 15:32
L16	18	internet with contemporaneous\$3 and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 14:36
L17	144	request with contemporaneous\$3 and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 14:55
L18	20	download with instructions with database and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 15:13
L19	1403	random with memory adj location and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 15:13
L20	27	(move or copy) with random with memory adj location and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 15:15
L21	44	random with memory adj location and @ad<"20000627" not access	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 15:18
L22	1812264	(move or copy)random with memory and @ad<"20000627" not access	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 15:18
L23	29	(move or copy) with random with memory and @ad<"20000627" not access	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 15:18
L24	22	delimiter same hash and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 16:24

L25	52	inline adj code and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 16:41
L26	2	"713"/\$.ccls. and random adj memory adj location and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 16:42
L27	1	"726"/\$.ccls. and random adj memory adj location and @ad<"20000627"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2005/11/13 16:42